

According to the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

**A. N.C.I. Servizi s.r.l. a socio unico - sezione C.I.M.A.C.  
Community Identification N° 0465**

Grants:  
Manufacturer  
**COFRA S.R.L.**  
**VIA DELL'EURO 53-57-59**  
**76121 BARLETTA**

**EU TYPE-EXAMINATION CERTIFICATE MODULE B**  
**N° F-100-00337-18 Rev.1**

for the following model of Personal Protective Equipment:

**Design/ Article:** Low shoe art. DRUMSTEP - 1303  
**Category of PPE:** II  
**Additional requirements:** S3 SRC

safety footwear for professional use according to harmonized standard (\*)  
EN ISO 20345:2011

**Picture of the basic model**



**First issue date: 12/06/2018**  
**Revision date: 13/05/2019**  
**Expiry date: 12/06/2023**

Technical Responsible  
Giuseppe Bellotti



<b>Manufacturer's identification mark:</b>	COFRA		
<b>Classification:</b>	I - Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear		
<b>Size range:</b>	from 36 to 50 (french point)		
<b>Identification of last:</b>	4292		
<b>Manufacturing process:</b>	Injection		
<b>The footwear has a:</b>	non-metallic toecap	cod	AACOM - Leonplastic C13
	non-metallic penetration-resistant insert	cod	OSAZC.xxx.F03-TEXON KNOX
	removable insock	cod	SP226 BASIC COMFORT AS
<b>Additional requirements:</b>	heel area closed;		
	A	antistatic properties;	
	E	energy absorption of seat region;	
	WRU	water resistant upper	
	FO	fuel oil resistant outsole; cleated outsole.	

<b>Test Reports:</b>	The results of tests and examinations are contained in the following test reports:			
	CIMAC	RP 2019\0906-1-RP-2	dated	09/05/2019
	CIMAC	RP 2019\0908-1-RP-4	dated	18/04/2019
	CIMAC	RP 2018\1303-2-RP-2	dated	12/06/2018
	CIMAC	RP 2018\1303-2-RP-3	dated	12/06/2018
	CIMAC	RP 2018\1303-2-RP-4	dated	12/06/2018
	CIMAC	RP 2018\1303-1-RP-2	dated	12/06/2018
	CIMAC	RP 2018\1303-1-RP-4	dated	12/06/2018
	CIMAC	RP 2016\2546-1-RP-2	dated	22/12/2016
	CIMAC	RP 2016\2546-1-RP-3	dated	22/12/2016
	CIMAC	RP 2016\2546-1-RP-4	dated	22/12/2016
	CIMAC	RP 2017\2004-1-RP-2	dated	22/09/2017
	CIMAC	RP 2017\2004-1-RP-3	dated	22/09/2017
	CIMAC	RP 2017\2004-1-RP-4	dated	22/09/2017
	CIMAC	RP 2017\2005-1-RP-2	dated	02/10/2017
	CIMAC	RP 2017\2005-1-RP-3	dated	02/10/2017
	CIMAC	RP 2017\2005-1-RP-4	dated	02/10/2017
	CIMAC	RP 2018\0972-1-RP-2	dated	15/05/2018
	CIMAC	RP 2018\0972-1-RP-4	dated	15/05/2018
	CIMAC	RP 2016\1948-7-RP-2	dated	05/12/2016
	CIMAC	RP 2016\1948-7-RP-3	dated	05/12/2016
	CIMAC	RP 2016\1948-7-RP-4	dated	05/12/2016
	CIMAC	RP 2016\1948-1-RP-2	dated	03/11/2016

CIMAC	RP 2016\1948-1-RP-3	dated	03/11/2016
CIMAC	RP 2016\1948-1-RP-4	dated	03/11/2016
CIMAC	RP 2017\2424-1-RP-2	dated	21/11/2017
CIMAC	RP 2017\2424-1-RP-3	dated	21/11/2017
CIMAC	RP 2017\2424-1-RP-4	dated	21/11/2017

## Marking

The PPE shows the following information:

CE Marking (at least 5 mm high)

Name and postal address of the Manufacturer

manufacturer's type designation

the number and year of the reference European standard

Category and additional requirements of the PPE

Month and year of fabrication

Size

Batch number

Reference of informative note

(\*) Subsystems and safety components which are in conformity with harmonised standards or parts thereof the references of which have been published in the Official Journal of the European Union shall be presumed to be in conformity with the essential requirements set out in Annex II Regulation (EU) 2016/425.

**Validity conditions:** This certificate is valid for 5 years from the date of issue. On expiration the manufacturer shall ask for its renewal.

The rules applied are those in force on the date of issue shown on this certificate; The validity of the certificate is no longer guaranteed if substitutive standards are issued before the expiration date.

All changes made to the model and to the materials described in this EU type-examination certificate shall be reported to and approved by CIMAC.

This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption "TRUE COPY".

This certificate must be kept by the manufacturer to be shown, on request, to the inspection or notifying authorities.