

According to the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

**A. N.C.I. Servizi s.r.l. a socio unico - sezione C.I.M.A.C.
Community Identification N° 0465**

Grants:
Manufacturer
COFRA S.R.L.
VIA DELL'EURO 53-57-59
76121 BARLETTA

EU TYPE-EXAMINATION CERTIFICATE MODULE B
N° F-100-02299-19 Rev. 1

for the following model of Personal Protective Equipment:

Design/ Article: Knee boot art. "BEST FIRE - 753"
Category of PPE: III
Additional requirements: F2 A M CI AN HI₃ SRC
A E P FO M WRU WR CI CR AN HI HRO SRC LEVEL 3

safety footwear for professional use according to harmonized standard (*)
EN 15090:2012 and EN ISO 17249:2013+AC:2014

Picture of the basic model



This EU Type-examination Certificate certifies that the technical design of the third category PPE model complies with the requirements of the 2016/425 Regulation applicable to it. At the choice of the Manufacturer, the PPE model must be submitted, before being placed on the market, to one of the periodic control systems required by art. 19 of the 2016/425 Regulations.

First issue date: 10/06/2019
Revision date: 29/12/2021
Expiry date: 10/06/2024

Technical Responsible
Giuseppe Bellotti



EU Type-Examination Certificate n. F-100-02299-19 Rev. 1 of 29/12/2021 - Page: 1 di 3

Manufacturer's identification mark:	COFRA	
Classification:	I - Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear	
Size range:	from 38 to 48 (french point)	
Identification of last:	16724	
Manufacturing process:	Cemented construction	
The footwear has a:	metallic toecap	cod "AAAMN" - SMAL AM
	non-metallic penetration-resistant insert	cod "OSAZC.XXX.F03" - TEXON KNOX
	removable insock	cod SP127
	The footwear has a toecap in protection of the foot toes that prevents against impacts with an impact energy of 200 J and risks of injuries with a compression load of 1500 daN	
Additional requirements:	heel area closed;	
	A	antistatic properties;
	E	energy absorption of seat region;
	WRU	water resistant upper
	P	penetration resistance of sole complex;
	WR	water resistance of whole footwear;
	AN	ankle protection
	CR	cut resistance
	CI	cold insulation of sole complex;
	HI	heat insulation of sole complex
	AN	ankle protection
	HRO	resistance to hot contact of the outsole;
	FO	fuel oil resistant outsole;
		cleated outsole;
	HI ₃	Level of performance "HI ₃ " ;
		resistance to chain saw cutting (level = 3 – 30 m/s);
		raised ridges under outsole.

The shoe complies the requirements of footwear "Type 2 – All fire suppression and rescue interventions where protection against penetration and toe protection are needed, no protection against chemical hazards. Suitable for fire rescue, fire suppression, and property conservation in buildings, enclosed structures, vehicles, vessels, or like properties that are involved in a fire or emergency situation" specified in table 4 of EN 15090:2012 standard Category F2A–HI₃.

A PPE complying with the harmonized standards or parts of them whose references have been published in the Official Journal of the European Union shall be deemed to comply with the essential health and safety requirements set out in Annex II, covered by these standards or parts thereof .

In the suitability assessment, therefore, the users must verify the correspondence of the risk analysis carried out by them with that described in the aforementioned legislation.

Test Reports:

The results of tests and examinations are contained in the following test reports:

CIMAC	RP 2019\1111-1-RP-2	dated	10/06/2019
CIMAC	RP 2018\2305-1-RP-2	dated	31/10/2018
CIMAC	RP 2018\2305-1-RP-4	dated	31/10/2018
CIMAC	RP 2018\2305-3-RP-2	dated	31/10/2018
CIMAC	RP 2018\2305-3-RP-4	dated	31/10/2018
CIMAC	RP 2017\2005-1-RP-2	dated	02/10/2017
CIMAC	RP 2017\2005-1-RP-4	dated	02/10/2017
CIMAC	RP 2018\2301-1-RP-2	dated	23/10/2018
CIMAC	RP 2018\2301-1-RP-4	dated	23/10/2018

Marking

The label inside the footwear shows the following information:

CE Marking (at least 5 mm high)
CE0465 (III category only)
Name and postal address of the Manufacturer
manufacturer's type designation
the number and year of the reference European standard
Category and additional requirements of the PPE
Harmonized pictogram
Month and year of fabrication
Size
Batch number
Reference to informative note

(*) Subsystems and safety components which are in conformity with harmonised standards or parts thereof the references of which have been published in the Official Journal of the European Union shall be presumed to be in conformity with the essential requirements set out in Annex II Regulation (EU) 2016/425.

Validity conditions: This certificate is valid for 5 years from the date of issue. On expiration the manufacturer shall ask for its renewal. The rules applied are those in force on the date of issue shown on this certificate; The validity of the certificate is no longer guaranteed if substitutive standards are issued before the expiration date. All changes made to the model and to the materials described in this EU type-examination certificate shall be reported to and approved by CIMAC. This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption "TRUE COPY". This certificate must be kept by the manufacturer to be shown, on request, to the inspection or notifying authorities.