

According to the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

**A.N.C.I. Servizi s.r.l. a socio unico – CIMAC Laboratories**  
**Community Identification N° 0465**

Grants:  
Manufacturer  
**COFRA S.R.L.**  
**VIA DELL'EURO 53-57-59**  
**76121 BARLETTA**

**EU TYPE-EXAMINATION CERTIFICATE MODULE B**  
**N° F-100-03562-20**

for the following model of Personal Protective Equipment:

**Design/ Item:** Ankle boot art. THUNDER-1183  
**Category of PPE:** II  
**Additional requirements:** S3 SRC

safety footwear for professional use according to harmonized standard (\*)  
EN ISO 20345:2011

**Picture of the basic model**



**First issue date: 10/07/2020**  
**Revision date:**  
**Expiry date: 10/07/2025**

Technical Manager  
Giuseppe Bellotti



<b>Manufacturer's identification mark:</b>	COFRA		
<b>Classification:</b>	I - Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear		
<b>Size range:</b>	from 35 to 48 (french point)		
<b>Identification of last:</b>	A1291		
<b>Manufacturing process:</b>	Injection		
<b>The footwear has a:</b>	metallic toecap	cod	AA60R (EG 604)
	non-metallic penetration-resistant insert	cod	OS42A.XXX.F03(TEXTON T-427)
	removable insock	cod	SP249
<b>Additional requirements:</b>	heel area closed; A antistatic properties; E energy absorption of seat region; WRU water resistant upper P penetration resistance of sole complex; FO fuel oil resistant outsole; cleated outsole.		
<b>Test Reports:</b>	The results of tests and examinations are contained in the following test reports:		
	Whole footwear	CIMAC	RP 2020/0434-1-RP-1 dated 04/06/2020
	Upper	CIMAC	RP 2019/2738-2-RP-4 dated 07/11/2019
		CIMAC	RP 2018/1755-1-RP-3 dated 07/09/2018
	Upper	CIMAC	RP 2018/1755-1-RP-4 dated 07/09/2018
		CIMAC	RP 2018/1755-1-RP-5 dated 07/09/2018
	Toecap	CIMAC	RP 2018/0169-1-RP-2 dated 23/02/2018
	Vamp lining	CIMAC	RP 2017/2004-1-RP-2 dated 22/09/2017
		CIMAC	RP 2017/2004-1-RP-4 dated 22/09/2017
	Quarter lining	CIMAC	RP 2017/2005-1-RP-2 dated 02/10/2017
		CIMAC	RP 2017/2005-1-RP-4 dated 02/10/2017
	Seat region lining	CIMAC	RP 2018/0972-1-RP-2 dated 15/05/2018
		CIMAC	RP 2018/0972-1-RP-4 dated 15/05/2018
	Collar	CIMAC	RP 2018/1302-2-RP-2 dated 03/07/2018
		CIMAC	RP 2018/1302-2-RP-4 dated 03/07/2018
	Tongue	CIMAC	RP 2019/2738-2-RP-4 dated 07/11/2019
	Removable insock	CIMAC	RP 2019/1080-2-RP-2 dated 24/04/2019
		CIMAC	RP 2019/1080-2-RP-4 dated 24/04/2019
	Insole/Non-metallic penetration-resistant insert	CIMAC	RP 2018/0169-1-RP-2 dated 23/02/2018
		CIMAC	RP 2018/0169-1-RP-3 dated 23/02/2018
		CIMAC	RP 2018/0169-1-RP-4 dated 23/02/2018
	Outsole	CIMAC	RP 2019/1080-2-RP-2 dated 24/04/2019

	CIMAC	RP 2019/1080-2-RP-3	dated	24/04/2019
	CIMAC	RP 2019/1080-2-RP-4	dated	24/04/2019
Bottom of the footwear	CIMAC	RP 2020/1365-4-RP-1	dated	25/06/2020

## Marking



CE Marking

Name and postal address of the Manufacturer  
manufacturer's type designation  
the number and year of the reference European standard  
Category and additional requirements of the PPE  
Month and year of fabrication  
Size  
Batch number  
Reference to informative note



(\* Subsystems and safety components which are in conformity with harmonised standards or parts thereof the references of which have been published in the Official Journal of the European Union shall be presumed to be in conformity with the essential requirements set out in Annex II Regulation (EU) 2016/425.

**Validity conditions:** This certificate is valid for 5 years from the date of issue. On expiration the manufacturer shall ask for its renewal. The rules applied are those in force on the date of issue shown on this certificate; The validity of the certificate is no longer guaranteed if substitutive standards are issued before the expiration date. All changes made to the model and to the materials described in this EU type-examination certificate shall be reported to and approved by CIMAC. This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption "TRUE COPY". This certificate must be kept by the manufacturer to be shown, on request, to the inspection or notifying authorities.